

ONE GOVERNMENT PLAZA
POST OFFICE BOX 1180



ROCKY MOUNT
NORTH CAROLINA 27802-1180

CITY OF ROCKY MOUNT

Dear Sir:

Please acknowledge receipt of this bid. Please indicate your intention and return this acknowledgment to the Purchasing Division by fax to 252-972-1662.

YES: I will bid _____
NO: I will not bid _____

CITY OF ROCKY MOUNT
P O BOX 1180
ROCKY MOUNT, NC 27802
DELTON L. FARMER
PURCHASING MANAGER

BID NO.: **76017 – PASSENGER WAITING SHELTER**

COMPANY: _____

STREET ADDRESS: _____

CITY STATE ZIP _____

SIGNATURE _____

TELEPHONE () _____

FAX NO.: _____

INTERNET ADDRESS: _____

Tar River Transit
Passenger Waiting Shelter Specifications
CRM #76017

The City of Rocky Mount is receiving bid prices from companies capable of meeting or exceeding the following specification requirements for Passenger Waiting Shelters. The company awarded the contract will be responsible for supplying all labor, materials, supplies, insurances and all else required for the finished product to be accepted by the City of Rocky Mount.

This project will be paid for with American Recovery and Reinvestment Act (ARRA) funds. Bidders shall sign the Special Conditions sheet included as part of these specifications agreeing to meet all requirements that apply.

Sealed bid price responses are to be received by the City of Rocky Mount Purchasing Office by 2:00 p.m. on Thursday, August 12, 2010. Bid responses may be mailed to City of Rocky Mount Purchasing Office in the Administrative Complex, P.O. Box 1180, Rocky Mount, NC 27801. Bid responses may be hand delivered to the fourth floor of the City of Rocky Mount Purchasing Office in the Administrative Complex, 331 S. Franklin Street, Rocky Mount, N.C.

The City of Rocky Mount reserves the right to reject any and all bids. The City of Rocky Mount will not discriminate against any contractor submitting a bid because of race, creed, color, national origin or handicap.

CITY OF ROCKY MOUNT

Delton L. Farmer
Purchasing Manager

NAMEBRAND REFERENCE

Any references to namebrands or manufacturers is not intended to restrict the bidding process but to better inform bidders of the level of quality and equipment performance expected by the City of Rocky Mount Tar River Transit. Any alternate bid must meet or exceed the quality and performance level of the referenced items and be preapproved and required in these specifications.

Bidders are to check the appropriate "YES", "NO" or "ALTERNATE" responses for each item as requested. Product brochures, drawings and any other product information for the equipment bid should be provided with each company's bid price proposal response for evaluation purposes.

CITY CONTACTS

The City of Rocky Mount contact person to receive questions for this project is Mr. Todd Gardner, Transit System Manager, and he can be contacted by calling 252-972-1596.

The Purchasing Office contact for bid submittals is Dalphne Bullock, Senior Purchasing Technician and she can be contacted by calling 252-972-1226.

SPECIAL CONDITIONS

1. Project is financed through funding from the *American Recovery and Reinvestment Act of 2009* (ARRA). Contractor must include all special conditions of ARRA funds in any other contract or subcontract for goods and services with this bid.
2. U.S. Comptroller General, the U.S. Inspector General, and the Department of Energy and representatives have the authority to examine any records or interview any officer or employee of the contractor and subcontractor that directly involve transactions from the contract.
3. Contract is subject to “Buy American” provision in Section 1605 of the Recovery Act. Iron, steel, and manufactured goods used in public buildings or public works projects, including public housing, must be manufactured in the United States.
 - a. Manufactured good means a good brought to the construction site for incorporation into the building or work that has been processed into a specific form and shape, or combined with other raw material to create a material that has different properties.
 - b. Steel means an alloy that includes at least 50 percent iron, between .02 and 2 percent carbon, and may include other elements.
4. Project is covered by contractor Whistleblower protection, when non-Federal employees provide evidence disclosing gross management, gross waste, substantial and specific danger to public health or safety, abuse of authority, or violations of law related to contract.
5. With issuance of bid, contractor assures that it has obtained a DUNS number and has registered with the Central Contractor Registration (CCR). This requirement also applies to any subcontract as a result of this bid.
6. Contract may not be used to undertake or make progress toward any activity to develop casinos, gambling establishments, aquariums, zoos, golf courses, or swimming pools.
7. Contractor agrees that for any contract award that exceeds \$25,000, supplemental information concerning contractor’s DUNS number, product/service description, headquarter location, job information, and any other information required as a result of contract will be provided as part of Recovery Act reporting completed on a quarterly basis.
8. The contractor awarded the contract shall ensure that all sub-contractors are aware of these requirements before sub-contracts are awarded.
9. The contractor must comply with the minimum rates for wages for laborers and mechanics as determined by the Secretary of Labor in accordance with the provisions of the Davis-Bacon and Related Acts, as detailed in attachment of 29 CFR 5.5. Additionally, compliance with Sections 103 and 107 of the Contract Work Hours and Safety Standards Act (40 U.S.C. 327-330) is also required.
10. Compliance with all applicable standards, orders, or requirements issued under section 306 of the Clean Air Act (42 U.S.C. 1857 (h)), section 508 of the Clean Water Act (33 U.S.C 1368), Executive Order 11738, and Environmental Protection Agency regulations (40 CFR part 15).
11. All records are required to be retained for a minimum of three years after the completion of all terms of the contract.
12. Compliance with the Copeland “Anti-Kickback” Act (18 U.S.C. 874) as supplemented in Department of Labor Regulation (29 CFR Part 3).

13. Contractor agrees to refer to the Department of Energy or appropriate Inspector General any credible evidence of a principal, employee, agent, contractor, subcontractor, or other person that has submitted a false claim under the False Claims Act. This includes any evidence of criminal or civil law violations with respect to fraud, conflict of interest, bribery, gratuity, or other misconduct with Recovery Act funds.
14. Contractor may protect technical data and other data, including trade secrets, privileged, or confidential information that the contractor does not want disclosed to public or used for any other purpose than this contract. The contractor must specifically identify each page, including the line and paragraph of the data to be protected with the following notice, which also should be included on cover sheet of the application:
Notice of Restriction on Disclosure and Use of Data

Bidder: _____

Address: _____

By: _____
Authorized to Sign

Telephone No.: _____

Title: _____

Fax No.: _____

Date: _____

PART I GENERAL

It is Tar River Transit's desire to have uniformity with existing bus shelters already installed for maintenance purposes. Particularly any proposed shelter design must have the same replacement parts and same sized wall panels as the existing shelters manufactured by Brasco Incorporated. It is also Tar River Transit's desire to have replaceable roof structures that can be utilized within the current system. Depending upon the bid prices received Tar River Transit will be purchasing 8 – 10 shelters and reserves the right to purchase more or less of the quoted quantities.

YES _____ NO _____ ALTERNATE _____

1.1 DESCRIPTION

The work specified shall consist of the design, fabrication, and delivery of Passenger Waiting Shelters to include structural aluminum frames with glazed rear and side walls, glazed roof assemblies, and all required hardware for installation. Shelters shall be computer designed and structurally engineered. The shelter frame shall be designed to be stable with or without wall and roof glazing. All connections and glazing containment shall be tamper proof. Shelters shall be prefabricated in approximate 4' modular wall sections and 1 roof section complete and ready for field erection.

YES _____ NO _____ ALTERNATE _____

1.2 STANDARDS

A. Materials

All aluminum shall conform to the standards of the Aluminum Association. All glazing shall conform to the American National Standards Institute (ANSI) Safety Standard for Architectural Glazing Materials Z97.1-1975.

YES _____ NO _____ ALTERNATE _____

B. Performance

Shelter shall be designed to withstand minimum vertical and horizontal wind load of 90 mph. Roof shall be designed to withstand minimum dead load of 25 PSF.

YES _____ NO _____ ALTERNATE _____

1.3 QUALITY ASSURANCE

A. Experience

Manufacturer shall have a minimum of 15 years experience in the design and manufacture of Aluminum Passenger Waiting Shelters.

YES _____ NO _____ ALTERNATE _____

B. *Approved equals*

Requests for approved equals shall be supported by complete technical documentation which; shall include descriptive literature, assembly instructions, and detail drawings which clearly show dimensions, joining details, alloy, temper, finish, and thickness of all members. Detailed specifications shall also accompany such request.

YES _____ NO _____ ALTERNATE _____

1.4 SUBMITTALS

A. All bidders are to *submit shop drawings and product data information with their bid price proposal.*

YES _____ NO _____ ALTERNATE _____

B. *Submit manufacturer’s statement of certification that materials meet or exceed these specifications.*

Requests of approved equals must be submitted no later than Friday, July 30, 2010. Tar River Transit will notify of approved equal status within five days of receipt of required submittals.

1.5 DELIVERY AND STORAGE

All shelters shall be delivered in one shipment to the City Warehouse located at 724 Albermarle Avenue, Rocky Mount, N. C. 27801, in clearly labeled modular assemblies. Each shelter shall include a boxed hardware kit complete with installation instructions.

1.6 WARRANTY

Manufacturer warrants that shelter shall be free from defect in parts and manufacture for a period of one (1) year upon delivery and receipt of shelters to the City Warehouse location. Manufacturer shall maintain inventory of replacement parts for ten years after delivery of shelters.

YES _____ NO _____ ALTERNATE _____

BUY AMERICAN CERIFICATION

By signing below, I am certifying that the passenger waiting shelters submitted for bid and evaluation meet the “Buy American” requirement as stated on the Special Conditions.

The shelters submitted for bid are manufactured in _____.

Printed Signature

Signature

Title

PART II PRODUCTS

Shelter size shall be approximately: 5' deep by 10' wide.

YES _____ NO _____ ALTERNATE _____

2.1 CONSTRUCTION

Shelter shall be constructed of modular interchangeable components. All structural framing members and mullions shall be 1 (one) piece seamless extruded aluminum tubes of 6063-T5 alloy. Snap together or two (2) piece members are not acceptable. All roof and glazing frame extruded aluminum sections shall be 6063-T5 alloy. All structural connector channels, roof corner key angles, and base anchor boots shall be extruded aluminum sections of 6061-T5 alloy.

YES _____ NO _____ ALTERNATE _____

2.2 MATERIALS

A. Framing members

All vertical support posts and top and bottom horizontal beams (header and sill) shall be 2½" x 2½" x 1/8" thick square tube. The front header shall be 2½" x 5" x 1/8" thick rectangular tube. All vertical mullions shall be 1½" x 2½" x 1/8" thick rectangular tube.

YES _____ NO _____ ALTERNATE _____

B. Structural connections

All structural connector clips shall be factory applied and shall be concealed when field assembly is complete. Field attachment of connector clips is not acceptable. Connector clips shall be extruded aluminum as specified in Section 2.1 and shall be 2¼" x 2¼" x ¼" thick or 1¼" x 2¼" x ¼" thick with tapered edges. The front header connector clips shall be 2¼" x 4½" x ¼". Connector clips shall be attached to frame at main structural joints with two (2) stainless steel hex bolts ¼ - 20 x ¾" with flat washers, lock washers, and nuts. Mullion clips shall be attached to frame with two (2) ¼" diameter stainless steel flush break rivets.

YES _____ NO _____ ALTERNATE _____

C. Field connections

All field connections to join modular wall sections shall be concealed with shelter complete and upright. Connection to structural clips shall be with two (2) ¼" countersunk aluminum and stainless steel drive rivets. Finished joint shall be flush.

YES _____ NO _____ ALTERNATE _____

D. Fasteners

All fasteners shall be aluminum or stainless steel or a combination thereof and shall be tamper proof. Zinc, carbon steel, plated, or any other "non-corrosive" fasteners will not be acceptable. Self-tapping or self-drilling fasteners are not acceptable. Exposed fasteners shall be finished to match shelter finish.

YES _____ NO _____ ALTERNATE _____

E. Window framing

Window frames shall be special "F" shaped aluminum extrusion with integral alignment lip and corner key slot. All corners shall be mitered and reinforced with internal corner keys. Window frames shall be affixed to shelter frame with 3/16" diameter aluminum flush break rivets approximately 13" on center. No window frames shall be shipped loose or unattached to a wall module. Window frame shall provide minimum ¼" engagement of glazing material on all sides. Attachment to shelter wall frames shall be offset with no fasteners on the outside or inside face of the shelter frames.

YES _____ NO _____ ALTERNATE _____

F. Glazing

All glazing material shall be ¼" thick clear tempered safety glass. All wall glazing shall be gasketed with continuous extruded PVC dry-set splines.

YES _____ NO _____ ALTERNATE _____

G. Roof Assembly

1. Fascia

Fascia shall be 1 (one) piece 2½" high extruded aluminum with mitered corners, integral self aligning attachment lip, two (2) corner key slots at each corner, internal gutter, and top and bottom edges rounded for safety. Mitered corners shall be connected at outside corner with a ¼" thick aluminum angle and two (2) stainless steel allen head set screws, and at inside corner with two (2) 1/8" thick aluminum angle keys and concealed fasteners to prevent twist prior to

installation. The completed roof assembly shall be attached to shelter frame through self alignment lip into header with aluminum and stainless steel tamper proof fasteners in shear. Self drilling or self-tapping fasteners in tension (or pull out condition) shall not be an acceptable method of securing roof assembly to frame. Exposed rivets at fascia corners are not acceptable.

YES _____

NO _____

ALTERNATE _____

2. Translucent Barrel Vault Roof

Finished barrel vault roof assembly shall be leak proof. Roof shall be serviceable without removing fascia. Drainage shall be directed to rear of shelter and away from shelter walls. Roof shall not rely on self-tapping or self-drilling screws in tension for containment. Roof shall be glazed with ¼" bronze tint structured polycarbonate glazing. Roof shall be constructed using a sixty degree extruded aluminum base that attaches to the custom extruded aluminum rafters. The rafters will be rolled to the appropriate degree and will interlock with both of the base extrusions on opposite sides. All fasteners to assemble the roof frame will be concealed.

YES _____ NO _____ ALTERNATE _____

H. *Finishes*

All exposed aluminum components including brackets and anchor boots shall be anodized Architectural Class I finish in conformance with The Aluminum Association Designation System for Aluminum Finishes as designated #313 Dark Bronze Duranodic.

YES _____ NO _____ ALTERNATE _____

I. *Pedestal Bench*

Bench shall be Freestanding Pedestal Bench with Attached Backrest and Armrests. The bench seat, backrest, and armrests shall be dark bronze aluminum to match the shelter finish. The metal pedestal brackets should also be dark bronze to match the shelter. The SL412 shelter will include an 8' bench with three pedestal brackets and two armrests. The SL416 shelter will include and a 12' bench with four pedestal brackets and three armrests. Shelter and bench must be ADA compliant.

YES _____ NO _____ ALTERNATE _____

J. *Vinyl Decal for Roof Ends*

Vinyl Decal shall include Tar River Transit's Logo for the Barrel Vault Roof Ends. The three color logo will consist of the light blue, black, and white colors included in Tar River Transit's logo and will be properly scaled to the size of the Barrel Vault Ends. The specific PMS colors will match the logo from the city's art department.

YES _____ NO _____ ALTERNATE _____

K. *Lockable Schedule Holder*

The shelter shall include a lockable 43 ¼" x 43 ¼" Schedule Holder for Left Side Wall. The schedule holder shall be made from custom horizontal extrusions that are meant to contain a minimum of ¼" thick media. The vertical hinge shall be made out of dark bronze anodized aluminum. The schedule holder's locking device is required to be tamper resistant to the general public and Tar River Transit personnel only should be able to open the display case with the keys provided.

YES _____

NO _____

ALTERNATE _____

**TAR RIVER TRANSIT
PASSENGER WAITING SHELTERS
PRICE PROPOSAL**

I have reviewed the bid specifications for the Passenger Waiting Shelters and my total cost price is as follows:

		<u>EACH</u>		<u>TOTAL</u>
Passenger Waiting Shelters	10 each	\$ _____		\$ _____
Namebrand: _____		Model: _____		
Delivery: _____		Warranty: _____		

The City reserves the right to purchase more or less of the above quantities of passenger shelters at the quoted "each" bid price.

PURSUANT TO (G.S. 143-129) THIS BID MUST BE ACCOMPANIED BY A BID BOND OF NO LESS THAN FIVE (5%) OF THE TOTAL OF THIS PROPOSAL. BID BOND MUST BE EITHER CASH, CASHIER'S CHECK, CERTIFIED CHECK, OR A BID BOND BY A SURETY LICENSED IN NORTH CAROLINA.

NO FAXED BID BONDS WILL BE ACCEPTED.

COMPANY NAME: _____

ADDRESS: _____

CITY: _____ ZIP: _____

TELEPHONE # _____

FAX #: _____

E-MAIL ADDRESS: _____

SIGNED: _____

DATE: _____



City of Rocky Mount Certification Regarding Debarment and Suspension

Contracts for construction or services shall comply with the provisions of 43 CFR Part 12, Subpart C (Uniform Administrative Requirements for Grants and Cooperative Agreements with State and Local Governments). In order to comply with this provision, no contract may be awarded by the grantee (City of Rocky Mount), a subgrantee or contractor of any grantee or subgrantee to any party that has been debarred or suspended under Executive Order 12549. By signing this document, you certify to the best of your knowledge that the company, its principals, and its subcontractors which may be awarded a contract with the City of Rocky Mount:

- (a) Are not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from covered transactions by any Federal department or agency;
- (b) Have not within a three-year period preceding this proposal been convicted of or had a civil judgment rendered against them for commission of fraud or criminal offence in connection with obtaining, attempting to obtain, or performing a public (Federal, State, or local) transaction or contract under a public transaction; violation of Federal or State antitrust statutes or commission or embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statement, or receiving stolen property;
- (c) Are not presently indicted for or otherwise criminally charged by a governmental entity (Federal, State, or local) with commission of any of the offenses in paragraph (b) of this certification; and
- (d) Have not within a three-year period preceding this application/proposal had one or more public transactions (Federal, State, or local) terminated for cause or default.

BY _____ DATE _____
(Signature of Owner or Authorized Representative)

(Company Name) (Name/Location of Project)

INSTRUCTIONS TO BIDDERS

1. Samples of items, when required, or items that do not have prior approval, must be furnished free of expense, prior to the opening of bids, and if not destroyed, will upon request, be returned at the bidder's expense. Request for the return of samples must be made 10 days following opening of bids. Each individual sample must be labeled with bidder's name and item number.
2. Price should be stated in units of quantity requested on price proposal sheet(s) with packing included.
3. If the items bid upon have a trade name or brand, such trade name or brand must be stated in the bid.
4. Attach complete specifications for any substitution offered, or when amplification is desirable or necessary.
5. If descriptive matter is attached to bid, bidder's name must be on all sheets pertaining to proposals or bids.
6. Where a brand or trade name appears in the specification, it is understood that it refers to that material or its equivalent.
7. Please address and mail your bid as shown below:

**CITY OF ROCKY MOUNT
PURCHASING DEPARTMENT
P.O. DRAWER 1180
ROCKY MOUNT, N.C. 27802**

8. MARK YOUR BID IN THE LOWER LEFT HAND CORNER OF ENVELOPE AS PER THE FOLLOWING SAMPLE.

<p>BID REQUEST NO. : (PUT CRM BID #) SEALED BIDS ON: (PUT TITLE OF BID) TO BE OPENED: (PUT DATE, TIME & DAY OR WEEK)</p>

If forwarded other than by mail delivery, bids must be delivered/addressed directly to City of Rocky Mount, Purchasing Department, 331 S. Franklin Street, or Purchasing Conference Room, 4th floor, Municipal Office Building, Rocky Mount, N.C. 27803.

***ALL BIDDERS ARE TO READ AND SIGN THE CITY OF ROCKY MOUNT CONDITIONS FOR
BID AWARD AND RETURN IT WITH THEIR BID PRICE PROPOSAL.
FAILURE TO DO SO MAY RENDER YOUR BID AS NON-RESPONSIVE.**

**CITY OF ROCKY MOUNT
CONDITIONS FOR BID AWARD**

1. All bids and proposals shall be for furnishing apparatus, supplies, materials, equipment and/or work and services in accordance with the applicable plans and specifications prescribed by the City of Rocky Mount from the date shown until the date of opening the proposals, the plans and specifications of the proposed work and/or complete description of the apparatus, supplies, materials, or equipment and/or work and services are and will continue to be on file in the office of the Purchasing Manager of the City of Rocky Mount, N.C. during usual office hours 8:30 A.M. to 5:00 P.M., and available to prospective bidders.
2. No proposal will be considered or accepted unless, at the time of its filing the same shall be accompanied by Cash or a Certified deposit check on some bank or trust company insured by the Federal Deposit Insurance Corporation, in an amount of not less than the five percent (5%) of the total proposal. In lieu of making the cash deposit as above provided, such bidder may file a bond executed by a corporate surety, licensed under the laws of North Carolina to execute such bonds, all bid bonds and deposits being further conditioned under Section 2, G.S. 143-129 H.B. 634.
3. The City reserves the right to evaluate all bids especially where there is a wide range in specifications or to reject any and all bids and proposals, and further specifically reserves the right to make the award and/or awards in the best interest of the City of Rocky Mount.
4. The bidder and/or bidders to whom contract is awarded must comply fully with the requirements of General Statutes, Section 143-129 as amended, including entering into contract and/or Purchase Order and the furnishing of a satisfactory surety bond in the full amount of the contract price to guarantee faithful performance of the contract.
5. Time, in connection with discount offered, will be computed from date of delivery of the supplies or materials on delivery at destination when final inspection and acceptance are at those points or from date correct invoice is received if latter than the date of delivery. Guaranteed maximum price must be shown in all bids.
6. In case of default of the contractor and/or suppliers, the City may procure the articles, or services from other sources and hold the contractor and/or suppliers responsible for any excess cost occasioned thereby.
7. Payment by City due thirty days after delivery in Rocky Mount and inspection unless otherwise specifically provided: subject to any discounts allowed.
8. By mutual consent, between the City of Rocky Mount and the successful bidder and/or bidders, the base contract may be subsequently extended up to 100 per cent (100%) of the dollar value.
9. Positively No Bids considered unless submitted on the proposals furnished by the City of Rocky Mount.
10. All tax imposed upon any article on which you are bidding, shall be shown as a separate item and in no case included with price bid. Failure to comply with these conditions may be considered grounds for rejection. Tax on any item will not be considered in the total cost of the bid for contract award.

11. This proposal shall be irrevocable after the public opening and cannot be withdrawn after the time and said deposit shall be forfeited to the City of Rocky Mount as liquidated damages if this bid is withdrawn after the public opening, or if the undersigned bidder fails to execute formal contract and provide satisfactory surety within ten (10) days after the award. If this bid is not accepted within thirty (30) days after the public opening, it shall be deemed rejected and deposit shall be returned to the undersigned bidder.

12. It is specifically agreed as part of the consideration of the signing of this contract that the parties herein, their agent, officials, employees, or servants will not discriminate in any manner on the basis of race, color, creed, national origin, handicapped status, age, religion or sex with reference to the subject matter of this contract no matter how remote. The parties hereto further agree in all respects to conform with provisions and intent of the City of Rocky Mount, North Carolina.

This provision being incorporated for the benefit of the City of Rocky Mount and its residents may be enforced as set out in said ordinances, enforcement of these provisions shall be by action for specific performance, injunctive relief, or other remedy as by law provided; and this provision shall be construed in such manner as to prevent and eradicate all discrimination based on race, color, creed, national origin, handicapped status, age religion or sex.

This provision shall be binding on the successors and assigns of the parties hereto with reference to the subject matter of this contract.

13. The City reserves the right to award all or any part to one or more bidders.

14. (5%) deposit Enclosed \$_____ see paragraph 2.

15. It is understood that the items in this proposal will be purchased as stated on price proposal sheet. Where there is an estimated quantity being requested, the items will be purchased on an as needed basis.

16. The successful bidder(s) must maintain in stock at all times the items in this contract in sufficient quantities to assure quick delivery on replacement items. The City of Rocky Mount reserves the right to inspect the facilities of each bidder before awarding the contract.

17. Contract or Purchase Order shall be for a one time purchase, or for the period of time noted in the specifications or on the purchase order.

18. The City of Rocky Mount reserves the right to cancel the contract at any given time, by giving the vendor a thirty (30) day written notice.

In compliance with the above request for bids, and subject to all the conditions thereof, the undersigned offers and agrees, if this bid is accepted within 30 days from the date of the opening, to furnish any or all of the items upon which prices are quoted, at the price set opposite each item, and unless otherwise specified, within _____ days, after receipt of order, delivery F.O.B. Rocky Mount, N.C.

Discounts will be allowed for prompt payments as follows:

10 calendar days _____ percent

15 calendar days _____ percent

20 calendar days _____ percent

30 calendar days _____ percent

Bidder: _____

Address: _____

By: _____
Authorized To Sign

Telephone No.: _____

Title: _____

Fax No.: _____

Date: _____